

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	21	((non\$volatile flash eeprom) with (programm\$3 stor\$3)) same (logical near2 boundar\$3)	US-PGPUB; USPAT; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/05/14 14:00
L2	75	(logical near2 (boundary boundaries)) with (management control)	US-PGPUB; USPAT; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/05/14 14:01
L3	86	(programm\$3 stor\$3) with ((boundary boundaries) near2 logical)	US-PGPUB; USPAT; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/05/14 14:08
L4	17205	(programm\$3 stor\$3) with (non\$boundary boundary)	US-PGPUB; USPAT; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/05/14 14:10
L5	20	1 and "14"	US-PGPUB; USPAT; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/05/14 14:07
L6	10	1 and 4	US-PGPUB; USPAT; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/05/14 14:07
L7	576756	flash non\$volatile eeprom nvm	US-PGPUB; USPAT; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/05/14 14:08
L8	433	4 same 7	US-PGPUB; USPAT; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/05/14 14:08
L9	295	4 with 7	US-PGPUB; USPAT; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/05/14 14:08
L10	2673	logical near3 partition	US-PGPUB; USPAT; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/05/14 14:08
L11	24	10 with ((boundary boundaries) near2 logical)	US-PGPUB; USPAT; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/05/14 14:09

## EAST Search History

L12	37	10 same ((boundary boundaries) near2 logical)	US-PGPUB; USPAT; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/05/14 14:09
L13	22	10 with (non\$boundary boundary)	US-PGPUB; USPAT; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/05/14 14:55
L14	2	"6763424".pn.	US-PGPUB; USPAT; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/05/14 14:56
L15	2	"6456528".pn.	US-PGPUB; USPAT; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/05/14 14:56
L16	2	"6426893".pn.	US-PGPUB; USPAT; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/05/14 14:56
L17	2	"6567307".pn.	US-PGPUB; USPAT; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/05/14 14:57
L18	2	"5751634".pn.	US-PGPUB; USPAT; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/05/14 14:57
L19	2	"20050166087".pn.	US-PGPUB; USPAT; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/05/14 14:58
L20	2	"5860124".pn.	US-PGPUB; USPAT; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/05/14 14:58
L21	2	"6895464".pn.	US-PGPUB; USPAT; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/05/14 14:58
L22	2	"6421279".pn.	US-PGPUB; USPAT; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/05/14 14:59

## EAST Search History

L23	2	"6871259".pn.	US-PGPUB; USPAT; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/05/14 14:59
-----	---	---------------	---	----	-----	------------------

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

 [Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((memory <sentence> partition <paragraph> logical <sentence> boundary)<in>me..."  
Your search matched 0 documents.

[e-mail](#)

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

**» Search Options**[View Session History](#)**Modify Search**[New Search](#)**» Key****IEEE JNL** IEEE Journal or Magazine**IET JNL** IET Journal or Magazine**IEEE CNF** IEEE Conference Proceeding**IET CNF** IET Conference Proceeding**IEEE STD** IEEE Standard**No results were found.**

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

**Display Format:**  **Citation**  **Citation & Abstract** Check to search only within this results set[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE -

Indexed by  
 Inspec®


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#)

Welcome United States Patent and Trademark Office

 Advanced Search

BROWSE

SEARCH

IEEE XPLORE GUIDE

**OPTION 1**

Enter keywords or phrases, select fields, and select operators

 in All Fields

 AND  in All Fields

 AND  in All Fields


» Note: If you use all three search boxes, the entries in the first two boxes take precedence over the entry in the third box.

**Help**

## » Publications

 Select publications IEEE Periodicals IET Periodicals IEEE Conference IET Conference P IEEE Standards

## » Other Resources (Available)

 IEEE Books**OPTION 2**

Enter keywords, phrases, or a Boolean expression

**Help**

```
store <or> storing <or> save <or> saving
<sentence> logical <near/5> boundary <or>
boundaries
```



» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

## » Standard Status

(Applies to IEEE Standards)

Status 

## » Select date range

Search latest content up to

From year  to

## » Display Format

Citation       Citatic

## » Organize results

Maximum Display  resultsSort by In [Help](#) [Contact Us](#)

© Copyright 2007

Indexed by  
 Inspec®


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#)

Welcome United States Patent and Trademark Office

 Advanced Search

BROWSE

SEARCH

IEEE XPLORE GUIDE

**(2) OPTION 1**

Enter keywords or phrases, select fields, and select operators

 in All Fields

 AND  in All Fields

 AND  in All Fields

 

» Note: If you use all three search boxes, the entries in the first two boxes take precedence over the entry in the third box.

**(2) Help**

## » Publications

 Select publications

- IEEE Periodicals
- IET Periodicals
- IEEE Conference
- IET Conference P
- IEEE Standards

## » Other Resources (Available)

- IEEE Books

**(2) OPTION 2**

Enter keywords, phrases, or a Boolean expression

**(2) Help**

```
flash <or> eeprom <or> non-volatile
<paragraph> logical <or> virtual
<sentence> boundary <or> boundaries
```



» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

## » Standard Status

(Applies to IEEE Standards)

Status 

## » Select date range

Search latest content up to present

From year  to

## » Display Format

Citation       Citatic

## » Organize results

Maximum Display 

results per page

res

Sort by In [Help](#) [Contact Us](#)

© Copyright 2007 IEEE

Indexed by




[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

 **Search Results****BROWSE****SEARCH****IEEE XPLORE GUIDE**

Results for "((flash &lt;or&gt; eeprom &lt;or&gt; non-volatile &lt;paragraph&gt; logical &lt;or&gt; virtual &lt;s...&gt;"

[e-mail](#)

Your search matched 33391 of 1568664 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.**» Search Options**[View Session History](#)[New Search](#)**Modify Search**

((flash &lt;or&gt; eeprom &lt;or&gt; non-volatile &lt;paragraph&gt; logical &lt;or&gt; virtual &lt;sentence&gt; bc

**» Other Resources**  
(Available For Purchase)**Top Book Results**[The Finite Element Method in Electromagnetics](#)by Jin, J.;  
Hardcover, Edition: 2[Mathematical Foundations for Electromagnetic Theory](#)by Dudley, D. G.;  
Hardcover, Edition: 1[Intelligent Image Processing](#)by Mann, S.;  
Hardcover, Edition: 1[Additive Cellular Automata](#)by Chaudhuri, P. P.; Chowdhury, D. R.; Nandi, S.; Chattopadhyay, S.;  
Paperback, Edition: 1[Time-Domain Methods for Microwave Structures](#)by Itoh, T.; Houshmand, B.;  
Hardcover, Edition: 1[View All 24 Result\(s\)](#) [Select All](#) [Deselect All](#)View: [1-25](#) | [26-5](#) **26. Exact conditions for virtual boundaries in the FDTD-method in studies of waveguide inhomogeneities**

Perov, A.O.; Sirenko, Yu.K.;

[Direct and Inverse Problems of Electromagnetic and Acoustic Wave Theory](#), 1

15-17 Sept. 1997 Page(s):30 - 32

Digital Object Identifier 10.1109/DIPED.1997.710902

[AbstractPlus](#) | Full Text: [PDF\(164 KB\)](#) [IEEE CNF Rights and Permissions](#) **27. Testing conventional logic and memory clusters using boundary scan de ATE channels**

Hansen, P.;

[Test Conference, 1989. Proceedings. 'Meeting the Tests of Time'](#), Internationa

29-31 Aug. 1989 Page(s):166 - 173

Digital Object Identifier 10.1109/TEST.1989.82291

[AbstractPlus](#) | Full Text: [PDF\(528 KB\)](#) [IEEE CNF Rights and Permissions](#) **28. Implementing boundary scan test strategies**

Hansen, P.;

[AUTOTESTCON '90. IEEE Systems Readiness Technology Conference. 'Adv. Accomplishment'](#), Conference Record.

17-21 Sept. 1990 Page(s):325 - 329

Digital Object Identifier 10.1109/AUTEST.1990.111531

[AbstractPlus](#) | Full Text: [PDF\(340 KB\)](#) [IEEE CNF Rights and Permissions](#) **29. Compact modeling and fast simulation of on-chip interconnect lines**Ioan, D.; Ciuprina, G.; Radulescu, M.; Seebacher, E.;  
[Magnetics, IEEE Transactions on](#)

Volume 42, Issue 4, April 2006 Page(s):547 - 550

Digital Object Identifier 10.1109/TMAG.2006.871466

[AbstractPlus](#) | Full Text: [PDF\(312 KB\)](#) [IEEE JNL Rights and Permissions](#) **30. Advanced Modeling and Simulation for Microelectronic Materials**

Chun-Li Liu;

[Junction Technology, 2006. IWJT '06. International Workshop on](#)

Volume 1A, 3-8 July 2005 Page(s):118 - 121 Vol. 1A

[AbstractPlus](#) | Full Text: [PDF\(672 KB\)](#) IEEE CNF  
[Rights and Permissions](#)

□ 38. **3D reconstruction of stereo images for interaction between real and virtual environments**  
Kim, H.; Seung-jun Yang; Kwanghoon Sohn;  
[Mixed and Augmented Reality, 2003. Proceedings. The Second IEEE and ACM Symposium on](#)  
7-10 Oct. 2003 Page(s):169 - 176  
[AbstractPlus](#) | Full Text: [PDF\(1240 KB\)](#) IEEE CNF  
[Rights and Permissions](#)

□ 39. **Numerical method for eddy-current computation in a nonsimply connected shell**  
Chemkha, H.;  
[Magnetics, IEEE Transactions on](#)  
Volume 36, Issue 6, Nov 2000 Page(s):3920 - 3925  
Digital Object Identifier 10.1109/20.914340  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(200 KB\)](#) IEEE JNL  
[Rights and Permissions](#)

□ 40. **Scalable virtual viewpoint image synthesis for multiple camera environments**  
Cooke, E.; OConnor, N.;  
[Information Visualisation, 2005. Proceedings. Ninth International Conference on](#)  
6-8 July 2005 Page(s):393 - 397  
Digital Object Identifier 10.1109/IV.2005.112  
[AbstractPlus](#) | Full Text: [PDF\(568 KB\)](#) IEEE CNF  
[Rights and Permissions](#)

□ 41. **Configuration of boundary scan chain for optimal testing of clusters of non-scan devices**  
Choi, Y.-H.; Jung, T.;  
[Computer-Aided Design, 1992. ICCAD-92. Digest of Technical Papers., 1992 International Conference on](#)  
8-12 Nov. 1992 Page(s):13 - 16  
Digital Object Identifier 10.1109/ICCAD.1992.279406  
[AbstractPlus](#) | Full Text: [PDF\(336 KB\)](#) IEEE CNF  
[Rights and Permissions](#)

□ 42. **Equivalent network representation of boundary conditions involving generic quantities-application to lossy transmission lines with finite metallization**  
Bouzidi, F.; Aubert, H.; Bajon, D.; Baudrand, H.;  
[Microwave Theory and Techniques, IEEE Transactions on](#)  
Volume 45, Issue 6, June 1997 Page(s):869 - 876  
Digital Object Identifier 10.1109/22.588594  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(348 KB\)](#) IEEE JNL  
[Rights and Permissions](#)

□ 43. **Discovery of information sources across organizational boundaries**  
Paolucci, M.; Liu, X.; Naveen Srinivasan; Sycara, K.; Kogut, P.;  
[Services Computing, 2005 IEEE International Conference on](#)  
Volume 1, 11-15 July 2005 Page(s):95 - 102 vol.1  
Digital Object Identifier 10.1109/SCC.2005.46  
[AbstractPlus](#) | Full Text: [PDF\(416 KB\)](#) IEEE CNF  
[Rights and Permissions](#)

□ 44. **Bound magnetostatic waves controlled by field gradients in YIG single crystal epitaxial films**  
Morgenthaler, F.;


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#)

Welcome United States Patent and Trademark Office

 Advanced Search

BROWSE

SEARCH

IEEE XPLORE GUIDE

**(E) OPTION 1**

Enter keywords or phrases, select fields, and select operators

 in All Fields

 AND  in All Fields

 AND  in All Fields

 

» Note: If you use all three search boxes, the entries in the first two boxes take precedence over the entry in the third box.

**(?) Help**

## » Publications

 Select publications IEEE Periodicals IET Periodicals IEEE Conference IET Conference P IEEE Standards**(E) OPTION 2**

Enter keywords, phrases, or a Boolean expression

**(?) Help**

```
flash <or> eeprom <or> non-volatile
<near/4> logical <or> virtual <near/2>
boundary <or> boundaries
```

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

## » Other Resources (Available)

 IEEE Books

## » Standard Status

(Applies to IEEE Standards)

Status 

## » Select date range

Search latest content until

From year  to

## » Display Format

 Citation       Citatic

## » Organize results

Maximum Display  resultsSort by In [Help](#) [Contact Us](#)

© Copyright 2007 IEEE

 Indexed by



[Home](#) | [Login](#) | [Logout](#) | [Access Information](#)  
**Welcome United States Patent and Trademark Office**

[Advanced Search](#)

[BROWSE](#)

[SEARCH](#)

[IEEE XPOLE GUIDE](#)

**(2) OPTION 1**

Enter keywords or phrases, select fields, and select operators

in All Fields



AND  in All Fields



AND  in All Fields



» Note: If you use all three search boxes, the entries in the first two boxes take precedence over the entry in the third box.

[Help](#)

» Publications

Select publications

- IEEE Periodicals
- IET Periodicals
- IEEE Conference
- IET Conference P
- IEEE Standards

**(2) OPTION 2**

Enter keywords, phrases, or a Boolean expression

[Help](#)

boundary <sentence> logical <paragraph>  
non-volatile



» Note: You may use the search operators <and> or <or> without the start and end brackets <>.   
 » Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

[Help](#)

» Standard Status

(Applies to IEEE Standards)

Status

» Select date range

Search latest content   
 From year  to

» Display Format

Citation  Citatic

» Organize results

Maximum

Display  results

Sort by

In

[Help](#) [Contact Us](#)

© Copyright 2007

Indexed by  
 Inspec®

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

 **Search Results**[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((boundary &lt;sentence&gt; logical &lt;paragraph&gt; non-volatile)&lt;in&gt;metadata)"

 e-mail

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.» **Search Options**[View Session History](#)[Modify Search](#)[New Search](#) Check to search only within this results setDisplay Format:  Citation  Citation & Abstract» **Key****IEEE JNL** IEEE Journal or Magazine**IET JNL** IET Journal or Magazine**IEEE CNF** IEEE Conference Proceeding**IET CNF** IET Conference Proceeding**IEEE STD** IEEE Standard**No results were found.**

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE -

Indexed by  
 Inspec®



Welcome United States Patent and Trademark Office

Home | Login | Logout | Access Information

 Advanced Search

BROWSE

SEARCH

IEEE Xplore GUIDE

**(2) OPTION 1**

Enter keywords or phrases, select fields, and select operators

 in All Fields

AND   in All Fields

AND   in All Fields

 

» Note: If you use all three search boxes, the entries in the first two boxes take precedence over the entry in the third box.

**(2) Help****» Publications** Select publications IEEE Periodicals IET Periodicals IEEE Conference IET Conference P IEEE Standards**(2) OPTION 2**

Enter keywords, phrases, or a Boolean expression

**(2) Help**

```
flash <or> eeprom <and> boundary <near/2>
logical
```

 

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.  
» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)
**» Other Resources (Available)** IEEE Books**» Standard Status**

(Applies to IEEE Standards)

Status **» Select date range**
 Search latest content   
 From year  to 
**» Display Format** Citation  Citatic**» Organize results**
Maximum   
Display  results  
Sort by   
In 

Help Contact Us

© Copyright 2007

Indexed by  
 Inspec<sup>®</sup>



Welcome United States Patent and Trademark Office

Home | Login | Logout | Access Information

 Advanced Search

BROWSE

SEARCH

IEEE XPLORE GUIDE

**OPTION 1**

Enter keywords or phrases, select fields, and select operators

 in All Fields
**Help**
AND  in All Fields

AND  in All Fields

 

» Note: If you use all three search boxes, the entries in the first two boxes take precedence over the entry in the third box.

**OPTION 2**

Enter keywords, phrases, or a Boolean expression

**Help**

```
boundaries <or> boundary <sentence> Flash
<or> eeprom <or> nonvolatile
```

**Help**

» Note: You may use the search operators &lt;and&gt; or &lt;or&gt; without the start and end brackets &lt;&gt;.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

## » Publications

 Select publications

- IEEE Periodicals
- IET Periodicals
- IEEE Conference
- IET Conference P
- IEEE Standards

## » Other Resources (Available)

 IEEE Books

## » Standard Status

(Applies to IEEE Standards)

Status 

## » Select date range

Search latest content up to Present

From year  to

## » Display Format

 Citation  Citatic

## » Organize results

Maximum

Display  results

Sort by

In

Help Contact Us

© Copyright 2003 IEEE

Indexed by  
 Inspec®